

RON central heating radiator price list 2009																	
RAL Classic Colours			No of sections														
			1		2		3		4		5		6		7		
		Width of radiator (mm)	52		104		156		208		260		312		364		
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£	W	£	
200	44		44	107	87	140	131	172	174	205	218	237	262	270	305	302	
400	81		81	115	162	155	244	194	325	234	406	274	487	314	568	354	
600	115		115	125	230	174	346	223	461	273	576	322	691	372	806	421	
1000	182		182	180	364	244	546	307	728	371	910	455	1092	526	1274	590	
1500	258		258	198	516	281	774	363	1032	445	1290	555	1548	637	1806	719	
2000	328		328	219	656	322	984	445	1312	554	1640	657	1968	760	2296	863	
Polished Aluminium			No of sections														
			1		2		3		4		5		6		7		
		Width of radiator	52		104		156		208		260		312		364		
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£	W	£	
200	35		35	108	70	139	105	171	140	203	174	234	209	266	244	297	
400	65		65	116	130	154	195	192	260	230	325	268	390	306	455	344	
600	92		92	126	184	172	276	219	369	266	461	312	553	359	645	405	
1000	146		146	187	291	252	437	316	582	380	728	465	874	536	1019	601	
1500	206		206	210	413	293	619	376	826	459	1032	570	1238	653	1445	736	
2000	262		262	234	525	338	787	462	1050	573	1312	677	1574	780	1837	884	
Matt Aluminium			No of sections														
			1		2		3		4		5		6		7		
		Width of radiator	52		104		156		208		260		312		364		
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£	W	£	
200	35		35	117	70	158	105	200	140	241	174	282	209	323	244	364	
400	65		65	127	130	177	195	227	260	276	325	326	390	376	455	425	
600	92		92	140	184	200	276	261	369	321	461	382	553	442	645	502	
1000	146		146	202	291	281	437	360	582	439	728	539	874	625	1019	704	
1500	206		206	228	413	330	619	431	826	533	1032	662	1238	763	1445	865	
2000	262		262	256	525	382	787	528	1050	661	1312	787	1574	913	1837	1039	
Gold			No of sections														
			1		2		3		4		5		6		7		
		Width of radiator	52		104		156		208		260		312		364		
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£	W	£	
200	35		35	128	70	173	105	218	140	262	174	307	209	352	244	364	
400	65		65	139	130	193	195	247	260	301	325	355	390	410	455	425	
600	92		92	152	184	218	276	284	369	350	461	416	553	482	645	502	
1000	146		146	220	291	306	437	393	582	479	728	587	874	681	1019	704	
1500	206		206	249	413	359	619	470	826	581	1032	721	1238	832	1445	865	
2000	262		262	279	525	416	787	576	1050	721	1312	858	1574	996	1837	1039	

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end underside unless otherwise specified

Bottom connections can be specified for £51.75 extra per radiator

All Eskimo products are manufactured in the UK

RON central heating radiator price list 2009														
RAL Classic Colours			No of sections											
			8		9		10		11		12		13	
		Width of radiator (mm)	416		468		520		572		624		676	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		349	335	392	367	436	399	480	432	523	464	567	497
400	81		650	394	731	433	812	473	893	520	974	560	1056	620
600	115		922	470	1037	540	1152	596	1267	646	1382	695	1498	745
1000	182		1456	653	1638	717	1820	781	2002	845	2184	916	2366	979
1500	258		2064	802	2322	884	2580	994	2838	1076	3096	1158	3354	1241
2000	328		2624	992	2952	1095	3280	1198	3608	1301	3936	1410	4264	1513
Polished Aluminium			No of sections											
			8		9		10		11		12		13	
		Width of radiator	416		468		520		572		624		676	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		279	329	314	360	349	392	384	424	419	455	453	487
400	65		520	381	585	419	650	457	715	502	780	540	844	598
600	92		737	452	829	519	922	572	1014	619	1106	665	1198	712
1000	146		1165	665	1310	730	1456	794	1602	858	1747	930	1893	994
1500	206		1651	819	1858	902	2064	1013	2270	1096	2477	1179	2683	1262
2000	262		2099	1015	2362	1119	2624	1223	2886	1327	3149	1438	3411	1541
Matt Aluminium			No of sections											
			8		9		10		11		12		13	
		Width of radiator	416		468		520		572		624		676	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		279	405	314	446	349	487	384	529	419	570	453	611
400	65		520	475	585	525	650	574	715	631	780	681	844	751
600	92		737	563	829	644	922	711	1014	771	1106	832	1198	892
1000	146		1165	783	1310	863	1456	942	1602	1021	1747	1107	1893	1186
1500	206		1651	967	1858	1068	2064	1197	2270	1299	2477	1401	2683	1502
2000	262		2099	1192	2362	1318	2624	1445	2886	1571	3149	1703	3411	1829
Gold			No of sections											
			8		9		10		11		12		13	
		Width of radiator	416		468		520		572		624		676	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		279	442	314	487	349	531	384	576	419	621	453	666
400	65		520	518	585	572	650	626	715	688	780	742	844	818
600	92		737	614	829	702	922	775	1014	841	1106	907	1198	973
1000	146		1165	854	1310	940	1456	1027	1602	1113	1747	1207	1893	1293
1500	206		1651	1054	1858	1165	2064	1305	2270	1416	2477	1527	2683	1637
2000	262		2099	1300	2362	1437	2624	1575	2886	1712	3149	1857	3411	1994

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end underside unless otherwise specified

Bottom connections can be specified for £51.75 extra per radiator

All Eskimo products are manufactured in the UK

RON central heating radiator price list 2009														
RAL Classic Colours			No of sections											
			14		15		16		17		18		19	
		Width of radiator (mm)	728		780		832		884		936		988	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		610	536	654	569	698	601	741	633	785	666	828	719
400	81		1137	660	1218	699	1299	739	1380	779	1462	819	1543	859
600	115		1613	794	1728	843	1843	893	1958	942	2074	992	2189	1041
1000	182		2548	1063	2730	1127	2912	1191	3094	1255	3276	1326	3458	1389
1500	258		3612	1323	3870	1412	4128	1494	4386	1577	4644	1659	4902	1741
2000	328		4592	1616	4920	1718	5248	1828						
Polished Aluminium			No of sections											
			14		15		16		17		18		19	
		Width of radiator	728		780		832		884		936		988	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		488	525	523	557	558	588	593	620	628	652	663	703
400	65		909	636	974	674	1039	712	1104	750	1169	788	1234	826
600	92		1290	759	1382	805	1475	852	1567	898	1659	945	1751	992
1000	146		2038	1079	2184	1143	2330	1208	2475	1272	2621	1343	2766	1408
1500	206		2890	1345	3096	1435	3302	1519	3509	1602	3715	1685	3922	1768
2000	262		3674	1645	3936	1749	4198	1860						
Matt Aluminium			No of sections											
			14		15		16		17		18		19	
		Width of radiator	728		780		832		884		936		988	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		488	659	523	700	558	741	593	782	628	823	663	885
400	65		909	800	974	850	1039	900	1104	949	1169	999	1234	1049
600	92		1290	953	1382	1013	1475	1074	1567	1134	1659	1195	1751	1255
1000	146		2038	1286	2184	1365	2330	1444	2475	1523	2621	1609	2766	1689
1500	206		2890	1604	3096	1712	3302	1814	3509	1916	3715	2017	3922	2119
2000	262		3674	1955	3936	2081	4198	2214						
Gold			No of sections											
			14		15		16		17		18		19	
		Width of radiator	728		780		832		884		936		988	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		488	718	523	763	558	808	593	853	628	897	663	964
400	65		909	872	974	926	1039	980	1104	1035	1169	1089	1234	1143
600	92		1290	1039	1382	1104	1475	1170	1567	1236	1659	1302	1751	1368
1000	146		2038	1401	2184	1488	2330	1574	2475	1660	2621	1754	2766	1840
1500	206		2890	1748	3096	1867	3302	1977	3509	2088	3715	2199	3922	2310
2000	262		3674	2131	3936	2269	4198	2414						

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end underside unless otherwise specified

Bottom connections can be specified for £51.75 extra per radiator

All Eskimo products are manufactured in the UK

RON central heating radiator price list 2009														
RAL Classic Colours			No of sections											
			20		21		22		23		24		25	
		Width of radiator (mm)	1040		1092		1144		1196		1248		1300	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		872	751	916	784	959	816	1003	848	1046	881	1090	913
400	81		1624	898	1705	938	1786	985	1868	1025	1949	1064	2030	1104
600	115		2304	1097	2419	1147	2534	1216	2650	1266	2765	1315	2880	1365
1000	182		3640	1453	3822	1517	4004	1581	4186	1645	4368	1715	4550	1779
1500	258		5160	1830	5418	1913	5676	1995						
2000	328													
Polished Aluminium			No of sections											
			20		21		22		23		24		25	
		Width of radiator	1040		1092		1144		1196		1248		1300	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		698	735	732	767	767	798	802	830	837	861	872	893
400	65		1299	864	1364	902	1429	947	1494	985	1559	1023	1624	1061
600	92		1843	1045	1935	1092	2028	1159	2120	1205	2212	1252	2304	1298
1000	146		2912	1472	3058	1537	3203	1601	3349	1666	3494	1737	3640	1801
1500	206		4128	1858	4334	1942	4541	2025						
2000	262													
Matt Aluminium			No of sections											
			20		21		22		23		24		25	
		Width of radiator	1040		1092		1144		1196		1248		1300	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		698	926	732	967	767	1008	802	1049	837	1090	872	1131
400	65		1299	1098	1364	1148	1429	1204	1494	1254	1559	1304	1624	1353
600	92		1843	1322	1935	1383	2028	1464	2120	1524	2212	1584	2304	1645
1000	146		2912	1768	3058	1847	3203	1926	3349	2005	3494	2091	3640	2171
1500	206		4128	2228	4334	2329	4541	2431						
2000	262													
Gold			No of sections											
			20		21		22		23		24		25	
		Width of radiator	1040		1092		1144		1196		1248		1300	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		698	1009	732	1054	767	1099	802	1144	837	1188	872	1233
400	65		1299	1197	1364	1251	1429	1313	1494	1367	1559	1421	1624	1475
600	92		1843	1441	1935	1507	2028	1595	2120	1661	2212	1727	2304	1793
1000	146		2912	1927	3058	2013	3203	2099	3349	2186	3494	2280	3640	2366
1500	206		4128	2428	4334	2539	4541	2650						
2000	262													

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end underside unless otherwise specified

Bottom connections can be specified for £51.75 extra per radiator

All Eskimo products are manufactured in the UK

RON central heating radiator price list 2009														
RAL Classic Colours			No of sections											
			26		27		28		29		30		31	
		Width of radiator (mm)	1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		1134	946	1177	978	1221	1018	1264	1050	1308	1082	1352	1115
400	81		2111	1144	2192	1184	2274	1224	2355	1264	2436	1303	2517	1343
600	115		2995	1414	3110	1464	3226	1513	3341	1562	3456	1619	3571	1668
1000	182		4732	1843	4914	1907	5096	1970	5278	2034	5460	2105	5642	2169
1500	258													
2000	328													
Polished Aluminium			No of sections											
			26		27		28		29		30		31	
		Width of radiator	1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		907	924	942	956	977	994	1012	1026	1046	1058	1081	1089
400	65		1689	1099	1754	1137	1819	1175	1884	1213	1949	1251	2014	1289
600	92		2396	1345	2488	1392	2580	1438	2673	1485	2765	1538	2857	1585
1000	146		3786	1866	3931	1930	4077	1995	4222	2059	4368	2130	4514	2195
1500	206													
2000	262													
Matt Aluminium			No of sections											
			26		27		28		29		30		31	
		Width of radiator	1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		907	1172	942	1214	977	1262	1012	1303	1046	1344	1081	1385
400	65		1689	1403	1754	1453	1819	1502	1884	1552	1949	1602	2014	1651
600	92		2396	1705	2488	1766	2580	1826	2673	1887	2765	1954	2857	2015
1000	146		3786	2250	3931	2329	4077	2408	4222	2487	4368	2573	4514	2653
1500	206													
2000	262													
Gold			No of sections											
			26		27		28		29		30		31	
		Width of radiator	1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		907	1278	942	1323	977	1375	1012	1420	1046	1465	1081	1510
400	65		1689	1529	1754	1583	1819	1638	1884	1692	1949	1746	2014	1800
600	92		2396	1859	2488	1925	2580	1991	2673	2057	2765	2130	2857	2196
1000	146		3786	2452	3931	2539	4077	2625	4222	2711	4368	2805	4514	2891
1500	206													
2000	262													

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end underside unless otherwise specified

Bottom connections can be specified for £51.75 extra per radiator

All Eskimo products are manufactured in the UK

RON central heating radiator price list 2009														
RAL Classic Colours			No of sections											
			32		33		34		35		36		37	
		Width of radiator (mm)	1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		1395	1147	1439	1180	1482	1212	1526	1245	1570	1277	1613	1310
400	81		2598	1403	2680	1450	2761	1490	2842	1530	2923	1569	3004	1609
600	115		3686		3802	1767	3917	1816	4032	1866	4147	1915	4262	1965
1000	182													
1500	258													
2000	328													
Polished Aluminium			No of sections											
			32		33		34		35		36		37	
		Width of radiator	1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		1116	1121	1151	1152	1186	1184	1221	1216	1256	1247	1291	1279
400	65		2079	1327	2144	1371	2209	1409	2274	1447	2339	1485	2404	1523
600	92		2949	1631	3041	1678	3133	1725	3226	1771	3318	1818	3410	1864
1000	146													
1500	206													
2000	262													
Matt Aluminium			No of sections											
			32		33		34		35		36		37	
		Width of radiator	1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		1116	1426	1151	1467	1186	1508	1221	1549	1256	1590	1291	1632
400	65		2079	1701	2144	1758	2209	1807	2274	1857	2339	1907	2404	1956
600	92		2949	2075	3041	2135	3133	2196	3226	2256	3318	2317	3410	2377
1000	146													
1500	206													
2000	262													
Gold			No of sections											
			32		33		34		35		36		37	
		Width of radiator	1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		1116	1554	1151	1599	1186	1644	1221	1689	1256	1734	1291	1778
400	65		2079	1854	2144	1916	2209	1970	2274	2024	2339	2078	2404	2132
600	92		2949	2262	3041	2328	3133	2394	3226	2459	3318	2525	3410	2591
1000	146													
1500	206													
2000	262													

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end underside unless otherwise specified

Bottom connections can be specified for £51.75 extra per radiator

All Eskimo products are manufactured in the UK

RON central heating radiator price list 2009														
RAL Classic Colours			No of sections											
			38		39		40		41		42		43	
		Width of radiator (mm)	1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		1657	1342	1700	1375	1744	1407	1788	1439	1831	1479	1875	1511
400	81		3086	1649	3167	1689	3248	1729	3329	1768	3410	1808	3492	1848
600	115		4378	2014	4493	2063	4608	2120	4723	2169	4838	2218	4954	2268
1000	182													
1500	258													
2000	328													
Polished Aluminium			No of sections											
			38		39		40		41		42		43	
		Width of radiator	1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		1325	1310	1360	1342	1395	1373	1430	1405	1465	1443	1500	1475
400	65		2468	1561	2533	1599	2598	1637	2663	1675	2728	1713	2793	1751
600	92		3502	1911	3594	1958	3686	2011	3779	2058	3871	2104	3963	2151
1000	146													
1500	206													
2000	262													
Matt Aluminium			No of sections											
			38		39		40		41		42		43	
		Width of radiator	1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		1325	1673	1360	1714	1395	1755	1430	1796	1465	1844	1500	1885
400	65		2468	2006	2533	2056	2598	2105	2663	2155	2728	2205	2793	2254
600	92		3502	2438	3594	2498	3686	2566	3779	2626	3871	2686	3963	2747
1000	146													
1500	206													
2000	262													
Gold			No of sections											
			38		39		40		41		42		43	
		Width of radiator	1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		1325	1823	1360	1868	1395	1913	1430	1958	1465	2010	1500	2055
400	65		2468	2186	2533	2241	2598	2295	2663	2349	2728	2403	2793	2457
600	92		3502	2657	3594	2723	3686	2796	3779	2862	3871	2928	3963	2994
1000	146													
1500	206													
2000	262													

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end underside unless otherwise specified

Bottom connections can be specified for £51.75 extra per radiator

All Eskimo products are manufactured in the UK

RON central heating radiator price list 2009																	
RAL Classic Colours			No of sections														
			44		45		46		47		48		49		50		
		Width of radiator (mm)	2288		2340		2392		2444		2496		2548		2600		
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£	W	£	
200	44		1918	1544	1962	1576	2006	1609	2049	1641	2093	1673	2136	1706	2180	1738	
400	81		3573	1895	3654	1934	3735	1974	3816	2014	3898	2054	3979	2094	4060	2134	
600	115		5069	2317	5184	2367	5299	2416	5414	2466	5530	2515	5645	2564	5760	2621	
1000	182																
1500	258																
2000	328																
Polished Aluminium			No of sections														
			44		45		46		47		48		49		50		
		Width of radiator	2288		2340		2392		2444		2496		2548		2600		
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£	W	£	
200	35		1535	1507	1570	1538	1604	1570	1639	1601	1674	1633	1709	1665	1744	1696	
400	65		2858	1796	2923	1834	2988	1872	3053	1910	3118	1948	3183	1986	3248	2024	
600	92		4055	2197	4147	2244	4239	2291	4332	2337	4424	2384	4516	2430	4608	2484	
1000	146																
1500	206																
2000	262																
Matt Aluminium			No of sections														
			44		45		46		47		48		49		50		
		Width of radiator	2288		2340		2392		2444		2496		2548		2600		
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£	W	£	
200	35		1535	1926	1570	1967	1604	2009	1639	2050	1674	2091	1709	2132	1744	2173	
400	65		2858	2311	2923	2360	2988	2410	3053	2460	3118	2509	3183	2559	3248	2609	
600	92		4055	2807	4147	2868	4239	2928	4332	2989	4424	3049	4516	3110	4608	3177	
1000	146																
1500	206																
2000	262																
Gold			No of sections														
			44		45		46		47		48		49		50		
		Width of radiator	2288		2340		2392		2444		2496		2548		2600		
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£	W	£	
200	35		1535	2100	1570	2144	1604	2189	1639	2234	1674	2279	1709	2324	1744	2369	
400	65		2858	2519	2923	2573	2988	2627	3053	2681	3118	2735	3183	2789	3248	2844	
600	92		4055	3060	4147	3126	4239	3192	4332	3258	4424	3324	4516	3390	4608	3463	
1000	146																
1500	206																
2000	262																

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end underside unless otherwise specified

Bottom connections can be specified for £51.75 extra per radiator

All Eskimo products are manufactured in the UK